



Declaration of Performance 12002

In accordance with Regulation (EU)N°305/2011, under the sole responsibility of the manufacturer identified below.

- 1 Unique identification code of the product-type: **FIBO-ADHESIVE, PANWE**
- 2 Type, party or serial number: **see cartridge**
3. Intended use/s: **Sealant for non-structural use in joint in buildings and pedestrian walkways Part 1: sealants for Façade elements**
4. Name, registered trademark and contact address to manufacturer:
Fibo AS, Industriveien 2, 4580 Lyngdal, Norge
5. Authorized representative: Not applicable

- 6 System of AVCP: **System 4**

7. Harmonized standard: EN 15651-1:2012
8. Declared performance/s EN15651-1:2012

Reaction to Fire	NPD
Release of dangerous chemicals	See SDS
Resistance to flow	≤5mm
Loss of Volume	≤45%
Tensile properties (i.e. elongation) – at break at (23°C)	≥25%



CE-marking

In accordance with Regulation (EU)N°305/2011



Fibo AS, Industriveien 2, 4580 Lyngdal, Norway

DoP. no. 120002

Notified Body n/a

18

EN 15651-1:2012


Sealant for non-structural use in joint in buildings and pedestrian walkways Part 1: sealants for Façade elements

Fibo Adhesive

Reaction to Fire	NPD
Release of dangerous chemicals	See SDS
Resistance to flow	≤5mm
Loss of Volume	≤45%
Tensile properties (i.e. elongation) – at break at (23°C)	≥25%

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Elise Almås
Product Development Manager
NO-4580 Lyngdal , 25.02.19



Ecology, health and safety information (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, user shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

Legal note

The information, and, in particular, the recommendations relating to the application and end-use of Fibo Adhesive, are given in good faith based on the current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Fibo's recommendations. In practice, the difference in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product suitability for the intended application and purpose. Fibo reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. User must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance
DoP.no. 120002
Fibo AS